



Atlanta Demon Trappers Guild Iron-On Patch

Supplemental instruction sheet

Thank you for your interest in the Atlanta Demon Trappers Guild Iron-On patch. This patch is the perfect addition to a tee-shirt, backpack, or other cloth surface. The patch is meant for permanent application so care should be used in the type of surface and location.

The best surface is the flat area on a tee-shirt, hat, coat, or backpack. The surface should be resistant to heat, be porous, and not have any stain resistant coatings or other decoration. Cloth such as cotton or denim are best. Due to their non-porous nature, leather or vinyl are not suitable for patch application. If you have a question about the material, test an obscure area to see if the material distorts or melts when a hot iron is applied.

You will need the following to apply the patch:

- A dry iron. If your iron has steam capabilities, empty all of the water out of the iron and turn off the steam selection
- A cotton cloth, white preferred, about the size of a handkerchief
- A sturdy ironing board

Heat the iron for several minutes at the highest setting. On most irons this is the 'Linen' setting.

Position the patch on the item where desired and mark the location with a pencil or chalk under the edge of the patch. (See Figure 1- Positioning the Patch). Remove the patch from the garment and set to the side.



Figure 1- Positioning the Patch



Figure 2- Heating the Area

Step 2: As shown in Figure 2- Heating the Area, the area to receive the patch is heated with the iron. Cover the location with the cotton cloth and hold the iron on the location for approximately 10 seconds. This will heat the fabric where the patch is to be placed, allowing for stronger adhesion.

Step 3: Place the patch where desired and cover with the cloth. Be careful when locating the patch as the garment will be still be very hot. As shown in Figure 3- Press Firmly, press the iron very firmly to heat the glue that is located on the back of the patch. Hold for approximately 15 seconds to allow the glue to melt and adhere to the fabric.



Figure 3- Press Firmly

After the patch has been heated, carefully remove the cloth, being careful not to move the patch. It is possible to make very slight changes to the location of the patch at this point, but be careful that you do not expose any of the adhesive from the back of the patch. At this point the patch will be VERY HOT. If you touch the patch, it is best to do so with the cloth to protect your fingers.

Allow to cool for about 10 minutes before moving the garment.

If you wish to apply the patch to a surface that is not suitable for heat application, or the patch becomes loose after it is heat applied, the patch can be sewed in place with a needle and thread.

MageSpell LLC
PO BOX 1126
Norcross, GA 30091

www.demontrappers.com